



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

As ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-038/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 10:00 AM TO 10:10 AM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : TG Outside Area
 Protocol : CPCB method – PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	70.2	70.8	71.1	71.5	71.9	72.4	72.8	70.6	71.3	70.5

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	71.3	-
2	L Max	72.8	-
3	L Min	70.2	-
4	Day Leq	71.5	75.0 Max

End of Report

EP-038/14/03/24-1




 Jitendra
 Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


 Authorized Signatory
 Bhavna Sharma
 HOD (Microbiologist)

- The test report refers only to the particular sample/s submitted for testing and listed parameters.
- Endorsement of the same is neither inferred nor implied.
- Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
- Complaints about this report should be communicated within 10 days of the issue date of this report.
- The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)
As ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-039/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 10:20 AM TO 10:30 AM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : Near Ash Silo
 Protocol : CPCB method – PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	67.2	67.5	68.4	69.2	68.7	67.8	68.2	69.5	70.3	71.2

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	68.6	-
2	L Max	71.2	-
3	L Min	66.2	-
4	Day Leq	68.8	75.0 Max

End of Report

EP-039/14/03/24-1



Jitendra

Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory
Shashi Solanki
Lab Head

- The test report refers only to the particular sample/s submitted for testing and listed parameters.
- Endorsement of the same is neither inferred nor implied.
- Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
- Complaints about this report should be communicated within 10 days of the issue date of this report.
- The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

As ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-040/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name	: Ambient Noise	Analysis End Date	: 14/03/2024
Analysis Start Date	: 14/03/2024	Monitoring Done By	: NCL
Date of Monitoring	: 12/03/2024	Place of Monitoring	: Near Admin Building
Monitoring Duration	: 10 Minutes	Protocol	: CPCB method – PCLS/08/2000-01
Time of Monitoring	: 10:40 AM TO 10:50 AM		
Category of Area	: Industrial Area		

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	54.5	55.3	55.8	56.2	56.7	58.2	52.2	57.9	55.2	54.1


TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	55.6	-
2	L Max	58.2	-
3	L Min	52.2	-
4	Day Leq	55.8	75.0 Max

End of Report

EP-040/14/03/24-1




Jitendra
Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


Authorized Signatory
Shashi Solanki
Lab Head

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

As ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-041/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 11:00 AM TO 11:10 AM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : Near CCR Building
 Protocol : CPCB method – PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	51.1	51.5	51.9	52.2	52.8	53.6	53.9	54.5	55.2	55.8

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	53.3	-
2	L Max	55.8	-
3	L Min	51.1	-
4	Day Leq	53.5	75.0 Max

End of Report

EP-041/14/03/24-1




 Jitendra
 Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


 Authorized Signatory
 Shashi Solanki
 Lab Head

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-042/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name	: Ambient Noise	Analysis End Date	: 14/03/2024
Analysis Start Date	: 14/03/2024	Monitoring Done By	: NCL
Date of Monitoring	: 12/03/2024	Place of Monitoring	: Walkway Between Boiler & ESP
Monitoring Duration	: 10 Minutes	Protocol	: CPCB method – PCLS/06/2000-01
Time of Monitoring	: 11:20 AM TO 11:30 AM		
Category of Area	: Industrial Area		

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	65.2	65.8	66.2	66.9	67.2	67.4	65.5	64.3	68.4	69.5

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	66.6	-
2	L Max	69.5	-
3	L Min	64.3	-
4	Day Leq	66.8	75.0 Max

End of Report

EP-042/14/03/24-1




Jitendra
Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


Authorized Signatory
Shashi Solanki
Lab Head

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/158, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

As ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-043/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 11:40 AM TO 11:50 AM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : Near Main Gate No.2
 Protocol : CPCB method – PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	55.1	55.5	55.9	56.3	56.8	57.2	57.8	58.4	53.9	54.5

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	56.1	-
2	L Max	58.4	-
3	L Min	53.9	-
4	Day Leq	56.3	75.0 Max

End of Report

EP-043/14/03/24-1



Jitendra
 Jitendra
 Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES

Shashi Solanki
 Authorized Signatory
 Shashi Solanki
 Lab Head

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)
As ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-044/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 12:00 PM TO 12:10 PM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : Switch Yard
 Protocol : CPCB method – PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	55.2	55.8	56.2	56.9	57.1	57.4	54.2	53.5	52.8	53.1

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	55.2	-
2	L Max	57.4	-
3	L Min	52.8	-
4	Day Leq	55.4	75.0 Max

End of Report

EP-044/14/03/24-1




 Jitendra
 Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


 Authorized Signatory
 Shashi Solanki
 Lab Head

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-045/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 12:20 PM TO 12:30 PM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : Coal Crusher Zone
 Protocol : CPCB method – PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	66.9	67.2	67.8	68.7	69.1	69.5	70.2	70.8	71.3	71.8

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	69.3	-
2	L Max	71.8	-
3	L Min	66.9	-
4	Day Leq	69.5	75.0 Max

End of Report

EP-045/14/03/24-1




 Jitendra
 Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


 Authorized Signatory
 Shashi Solanki
 Lab Head

- The test report refers only to the particular sample/s submitted for testing and listed parameters.
- Endorsement of the same is neither inferred nor implied.
- Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
- Complaints about this report should be communicated within 10 days of the issue date of this report.
- The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-046/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED. Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMP'ING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 12:40 PM TO 12:50 PM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : Near DM Plant
 Protocol : CPCB method – PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	62.9	63.2	63.7	62.8	62.4	63.1	61.9	62.2	64.7	60.1

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	62.7	-
2	L Max	64.7	-
3	L Min	60.1	-
4	Day Leq	62.9	75.0 Max

End of Report

EP-046/14/03/24-1




 Jitendra
 Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


 Authorized Signatory
 Shashi Solanki
 Lab Head

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/EP-047/14/03/24		DATE OF REPORT : 19/03/2024
Name and Address of Customer	M/S LALITPUR POWER GENERATION COMPANY LIMITED, Village-Mirchwara and Burogaon, Tehsil-Mahroni, Lalitpur-284123 (U.P) India	

SAMPLING DETAIL

Sample Name : Ambient Noise
 Analysis Start Date : 14/03/2024
 Date of Monitoring : 12/03/2024
 Monitoring Duration : 10 Minutes
 Time of Monitoring : 01:00 PM TO 01:10 PM
 Category of Area : Industrial Area

Analysis End Date : 14/03/2024
 Monitoring Done By : NCL
 Place of Monitoring : TG Floor
 Protocol : CPCB method –
 PCLS/06/2000-01

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	70.2	70.9	71.3	71.8	72.2	73.1	73.4	71.5	70.6	72.4

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
1	Average Noise Level	71.7	-
2	L Max	73.4	-
3	L Min	70.2	-
4	Day Leq	71.9	75.0 Max


End of Report

EP-047/14/03/24-1




 Jitendra
 Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES


 Authorized Signatory
 Shashi Solanki
 Lab Head

1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com